# F5 BIG-IP Advanced Web Application Firewall Configuration

## **Chapter 1: Setting Up the BIG-IP System**

- Introducing the BIG-IP System
- Initially Setting Up the BIG-IP System
- Archiving the BIG-IP System Configuration
- Leveraging F5 Support Resources and Tools

#### **Chapter 2: Traffic Processing with BIG-IP**

- Identifying BIG-IP Traffic Processing Objects
- Understanding Profiles
- Overview of Local Traffic Policies
- Visualizing the HTTP Request Flow

### **Chapter 3: Web Application Concepts**

- Overview of Web Application Request Processing
- Web Application Firewall: Layer 7 Protection
- Layer 7 Security Checks
- Overview of Web Communication Elements
- Overview of the HTTP Request Structure
- Examining HTTP Responses
- How F5 Advanced WAF Parses File Types, URLs, and Parameters
- Using the Fiddler HTTP Proxy

#### **Chapter 4: Web Application Vulnerabilities**

- A Taxonomy of Attacks: The Threat Landscape
- Common Exploits Against Web Applications

### **Chapter 5: Security Policy Deployment**

- Defining Learning
- Comparing Positive and Negative Security Models
- The Deployment Workflow
- Assigning Policy to Virtual Server
- Deployment Workflow: Using Advanced Settings
- Configure Server Technologies
- Defining Attack Signatures
- Viewing Requests
- Security Checks Offered by Rapid Deployment

• Defining Attack Signatures

#### **Chapter 6: Policy Tuning and Violations**

- Post-Deployment Traffic Processing
- How Violations are Categorized
- Violation Rating: A Threat Scale
- Defining Staging and Enforcement
- Defining Enforcement Mode
- Defining the Enforcement Readiness Period
- Reviewing the Definition of Learning
- Defining Learning Suggestions
- Choosing Automatic or Manual Learning
- Defining the Learn, Alarm and Block Settings
- Interpreting the Enforcement Readiness Summary
- Configuring the Blocking Response Page

#### **Chapter 7: Attack Signatures and Threat Campaigns**

- Defining Attack Signatures
- Attack Signature Basics
- Creating User-Defined Attack Signatures
- Defining Simple and Advanced Edit Modes
- Defining Attack Signature Sets
- Defining Attack Signature Pools
- Understanding Attack Signatures and Staging
- Updating Attack Signatures
- Defining Threat Campaigns
- Deploying Threat Campaigns

### **Chapter 8: Positive Security Policy Building**

- Defining and Learning Security Policy Components
- Defining the Wildcard
- Defining the Entity Lifecycle
- Choosing the Learning Scheme
- How to Learn: Never (Wildcard Only)
- How to Learn: Always
- How to Learn: Selective
- Reviewing the Enforcement Readiness Period: Entities
- Viewing Learning Suggestions and Staging Status
- Defining the Learning Score
- Defining Trusted and Untrusted IP Addresses

• How to Learn: Compact

### **Chapter 9: Securing Cookies and Other Headers**

- The Purpose of F5 Advanced WAF Cookies
- Defining Allowed and Enforced Cookies
- Securing HTTP headers

### **Chapter 10: Visual Reporting and Logging**

- Viewing Application Security Summary Data
- Reporting: Build Your Own View
- Reporting: Chart based on filters
- Brute Force and Web Scraping Statistics
- Viewing Resource Reports
- PCI Compliance: PCI-DSS 3.0
- Analyzing Requests
- Local Logging Facilities and Destinations
- Viewing Logs in the Configuration Utility
- Defining the Logging Profile
- Configuring Response Logging

### **Chapter 11: Lab Project 1**

### **Chapter 12: Advanced Parameter Handling**

- Defining Parameter Types
- Defining Static Parameters
- Defining Dynamic Parameters
- Defining Parameter Levels
- Other Parameter Considerations

### **Chapter 13: Automatic Policy Building**

- Overview of Automatic Policy Building
- Defining Templates Which Automate Learning
- Defining Policy Loosening
- Defining Policy Tightening
- Defining Learning Speed: Traffic Sampling
- Defining Track Site Changes

### **Chapter 14: Web Application Vulnerability Scanner Integration**

• Integrating Scanner Output

- Importing Vulnerabilities
- Resolving Vulnerabilities
- Using the Generic XML Scanner XSD file

## **Chapter 15: Deploying Layered Policies**

- Defining a Parent Policy
- Defining Inheritance
- Parent Policy Deployment Use Cases

## **Chapter 16: Login Enforcement and Brute Force Mitigation**

- Defining Login Pages for Flow Control
- Configuring Automatic Detection of Login Pages
- Defining Brute Force Attacks
- Brute Force Protection Configuration
- Source-Based Brute Force Mitigations
- Defining Credential Stuffing
- Mitigating Credential Stuffing

### **Chapter 17: Reconnaissance with Session Tracking**

- Defining Session Tracking
- Configuring Actions Upon Violation Detection

### **Chapter 18: Layer 7 DoS Mitigation**

- Defining Denial of Service Attacks
- Defining the DoS Protection Profile
- Overview of TPS-based DoS Protection
- Creating a DoS Logging Profile
- Applying TPS Mitigations
- Defining Behavioral and Stress-Based Detection

#### **Chapter 19: Advanced Bot Defense**

- Classifying Clients with the Bot Defense Profile
- Defining Bot Signatures
- Defining F5 Fingerprinting
- Defining Bot Defense Profile Templates
- Defining Microservices protection

### **Chapter 20: Form Encryption using DataSafe**

- Targeting Elements of Application Delivery
- Exploiting the Document Object Model
- Protecting Applications Using DataSafe
- The Order of Operations for URL Classification

# **Chapter 21: Review and Final Labs**

- Final Lab Project (Option 1) Production Scenario
- Final Lab Project (Option 2) Managing Traffic with Layer 7 Local Traffic Policies