



Oracle AI Database: Multitenant Architecture

Student Guide
D1107716GC10

Copyright © 2025, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1010302025

Contents

----- Important Note -----

Oracle AI Database 26ai has replaced **Oracle Database 23ai**. This change was announced at Oracle AI World in October 2025. The architecture, concepts, and features presented in this course remain fully relevant to 26ai.

1 CDB Basics

- Objectives 1-2
- Challenges 1-3
- Multitenant Architecture: Benefits 1-4
- Other Benefits of Multitenant Architecture 1-5
- Oracle Multitenant Container Database 1-6
- Configurations 1-7
- SYSTEM Objects in the USER Container 1-8
- Provisioning a Pluggable Database 1-9
- Multitenant Container Database Architecture 1-10
- Containers 1-11
- Tools 1-12
- Data Dictionary and Dynamic Views 1-13
- Terminology 1-14
- Impacts 1-16
- Summary 1-18
- Multitenant Architecture Poster 1-19

2 CDB and Regular PDBs

- Objectives 2-2
- Goals 2-3
- Creating a CDB 2-4
- Creating a CDB: Using SQL*Plus 2-5
- Clause: SEED FILE_NAME_CONVERT 2-6
- Clause: ENABLE PLUGGABLE DATABASE 2-7
- After CDB Creation 2-8
- Data Dictionary Views: DBA_xxx 2-9
- Data Dictionary Views: CDB_xxx 2-10
- Data Dictionary Views: Examples 2-11
- Data Dictionary Views: V\$xxx Views 2-12
- After CDB Creation: To Do List 2-13
- Automatic Diagnostic Repository 2-14
- Automatic Diagnostic Repository: alert.log File 2-15
- Provisioning New Pluggable Databases 2-16
- Tools 2-17

Creating New PDB from PDB\$SEED 2-18
Steps: With FILE_NAME_CONVERT 2-19
Steps: Without FILE_NAME_CONVERT 2-20
Summary 2-21

3 Application PDBs and Application Installation

Objectives 3-2
Regular PDBs 3-4
PDBs and Applications 3-5
Application Containers 3-6
Application Containers: Other Features 3-7
Types of Containers 3-8
Creating Application PDBs 3-9
Application Name and Version 3-10
Installing Applications 3-11
Patching and Upgrading Applications 3-12
Application Common Objects 3-13
Use Cases for Application Containers 3-14
Use Case: Pure PDB-Based Vs Hybrid Model 3-15
Container Map 3-16
Container Map: Example 3-17
Query Routed Appropriately 3-18
Dynamic Container Map 3-19
Container Map and Containers Default 3-20
Query Across CDBs Using Application Root Replica 3-21
Durable Location Transparency 3-22
Data Dictionary Views 3-23
Terminology in Application Container Context 3-24
Commonality in Application Containers 3-25
Impacts 3-26
Summary 3-27

4 PDB Creation

Objectives 4-2
Cloning Regular PDBs 4-4
Cloning Application Containers 4-5
Plugging a Non-CDB into CDB 4-6
Plugging a Non-CDB into CDB as PDB Using DBMS_PDB 4-7
Replicating Non-CDB into CDB 4-8
Cloning a Non-CDB or Remote PDB 4-9
Plugging an Unplugged Regular PDB into CDB 4-10

- Flow 4-11
- Plugging Using Archive File 4-13
- Unplugging and Plugging Application PDBs 4-14
- Converting Regular PDBs to Application PDBs 4-15
- Unplugging and Plugging a PDB with Encrypted Data 4-16
- Local UNDO Mode Vs Shared UNDO Mode 4-17
- Cloning Remote PDBs in Hot Mode 4-18
- Near-Zero Downtime PDB Relocation 4-19
- Proxy PDB: Query Across CDBs Proxying Root Replica 4-21
- Creating a Proxy PDB 4-22
- Using DBCA to Clone a Remote PDB 4-23
- Using DBCA to Relocate a Remote PDB 4-24
- Using DBCA to Duplicate a CDB 4-25
- Dropping PDBs 4-26
- Summary 4-27

5 CDB and PDB Management

- Objectives 5-2
- Connection 5-4
- Switching Connection 5-5
- Creating Services 5-6
- Renaming Services 5-7
- Starting Up a CDB Instance 5-8
- Mounting a CDB 5-9
- Opening a CDB 5-10
- Opening a PDB 5-11
- Pluggable Database Hybrid Read-Only Mode 5-12
- Automatic PDB Opening 5-16
- Closing a PDB 5-17
- Shutting Down a CDB Instance 5-18
- Changing PDB Mode 5-19
- Modifying PDB Settings 5-20
- Instance Parameter Change Impact 5-21
- Instance Parameter Change Impact: Example 5-22
- Using ALTER SYSTEM Statement on PDB 5-23
- Configuring Host Name and Port Number per PDB 5-24
- Summary 5-25

6 Storage

- Objectives 6-2
- Objects in Tablespaces 6-3
- Tablespaces Created During PDB Creation 6-5
- Defining Default Permanent Tablespaces 6-6
- Temporary Tablespaces 6-7
- UNDO Tablespaces 6-8
- Summary 6-9

7 Security

- Objectives 7-2
- Creating Common Users in the CDB and PDBs 7-4
- Creating Common Roles in the CDB and PDBs 7-5
- Granting Privileges Commonly in the CDB and PDBs 7-6
- Creating Common Profiles in the CDB and PDBs 7-7
- Common Objects in Application Containers 7-8
- Operations on Data-Linked Objects 7-9
- Enabling Common Users to Access Data in PDBs 7-10
- Finding Information About CONTAINER_DATA Attributes 7-11
- Restricting Operations with PDB Lockdown Profiles 7-12
- Restricting Operations in a PDB Lockdown Profile 7-13
- PDB Lockdown Profiles Inheritance 7-14
- Static and Dynamic PDB Lockdown Profiles 7-15
- Auditing Actions in the CDB and PDBs 7-16
- Managing Other Types of Security Policies in Application Containers 7-18
- Securing Data with Oracle Database Vault 7-19
- Oracle Database Vault-Enabled Strict Mode 7-20
- Managing Keystore in the CDB and PDBs 7-21
- Creating and Opening a Keystore 7-22
- Setting TDE Master Encryption Keys 7-23
- Managing Keystore in the CDB and PDBs 7-24
- Keystore Management Changes for PDBs 7-25
- Defining the Keystore Type 7-26
- Isolating a PDB Keystore 7-27
- Converting a PDB to Run in Isolated Mode 7-28
- Converting a PDB to Run in United Mode 7-29
- Migrating a PDB Between Keystore Types 7-30
- Unplugging and Plugging a PDB with Encrypted Data 7-31
- Per-PDB Wallet for PDB Certificates 7-32
- Summary 7-33

8 Backup and Duplicate

Objectives 8-2

Goals 8-3

Syntax and Clauses in RMAN 8-4

CDB Backup: Whole CDB Backup 8-6

CDB Backup: Partial CDB Backup 8-7

PDB Backup: Partial PDB Backup 8-8

Using RMAN Backup to Plug an Unplugged PDB 8-9

Duplicating Pluggable Databases 8-10

Cloning Active PDB into an Existing CDB 8-11

Example: 1 8-12

Example: 2 8-13

Duplicating On-Premises CDB as Cloud Encrypted CDB 8-14

Duplicating On-Premises Encrypted CDB as Cloud Encrypted CDB 8-15

Migrating Cloud Encrypted CDB as On-Premises CDB 8-16

Checking for Block Corruption 8-17

Summary 8-18

9 Recovery and Flashback

Objectives 9-2

Goals 9-4

Instance Failure and Instance Recovery 9-5

NOARCHIVELOG Mode 9-6

CDB and PDB Tempfile Recovery 9-7

CDB SYSTEM or UNDO Tablespace Recovery 9-8

PDB SYSTEM or UNDO Tablespace Recovery 9-9

CDB or PDB Non-SYSTEM Tablespace Recovery 9-10

PITR 9-11

Migrating a Non-CDB to a CDB 9-12

Migrating a Non-CDB and Transporting Non-CDB Backups to a CDB 9-13

Relocating/Plugging a PDB into Another CDB 9-14

Plugging a PDB and Transporting PDB Backups to a CDB: 1 9-15

Plugging a PDB and Transporting PDB Backups to a CDB: 2 9-16

Using PrePlug-in Backups 9-17

Considerations 9-18

Example 9-19

CDB and PDB Flashback 9-20

PDB Flashback and Clean Restore Point 9-21

Creating a PDB Snapshot from a PDB 9-22

PDB Snapshot Carousel 9-23

Creating PDB Snapshots 9-24

Creating PDBs Using PDB Snapshots	9-25
Dropping PDB Snapshots	9-26
Flashbacking PDBs Using PDB Snapshots	9-27
Switching Over a Refreshable Cloned PDB	9-28
Unplanned Switchover	9-29
Summary	9-30

10 Performance

Objectives	10-2
Tuning a CDB	10-4
Sizing the CDB	10-5
Testing the Estimates	10-6
Managing SGA for PDBs	10-7
Managing PGA for PDBs	10-8
Monitoring PDB Memory Usage	10-9
AWR and ADDM Behavior	10-10
PDB-Level Snapshot Views	10-11
Configuring Automatic ADDM Analysis at the PDB Level	10-12
Enabling ADDM in a Pluggable Database	10-13
ADDM Data Visibility	10-14
Basic Rules: Statistics for Common Objects	10-16
Controlling the Degree of Parallelism of Queries	10-17
Heat Map and ADO Support	10-18
Managing Heat Map and ADO Policies in PDB	10-19
CDB Fleet	10-20
CDB Lead and CDB Members	10-21
Use Cases	10-22
DB Replay: The Big Picture	10-23
Capturing and Replaying in a CDB and PDBs	10-24
Reporting	10-25
Consolidated Database Replay Use Cases	10-26
Use Cases: Source Workloads	10-27
The Big Picture	10-28
Step 1	10-29
Step 2	10-30
Step 3	10-31
Step 4	10-32
Summary	10-33

11 Resource Allocation

- Objectives 11-2
- Allocating Resources in the CDB 11-3
- Resource Manager and Pluggable Databases 11-4
- Managing Resources Between PDBs 11-5
- CDB Resource Plan Basics: Limits 11-6
- PDB IO Rate Limit 11-8
- CDB Resource Plan: Full Example 11-9
- Maintaining a CDB Resource Plan 11-10
- Managing Resources Within a PDB 11-11
- Putting It Together 11-12
- Considerations 11-13
- PDB-Level Parallel Statement Queuing 11-14
- PDB-Level Parallel Statement Queuing: CPU_COUNT 11-15
- Session PGA Limit 11-16
- Performance Profiles 11-17
- Summary 11-18

12 Data Movement

- Objectives 12-2
- Using Oracle Data Pump with PDBs 12-3
- Exporting from Non-CDB and Importing into PDB 12-4
- Exporting and Importing Between PDBs 12-5
- Full Transportable Export/Import: Overview 12-6
- Full Transportable Export/Import: Usage 12-7
- Full Transportable Export/Import: Example 12-9
- Transporting a Database Over the Network: Example 12-10
- Additional Features of Oracle Data Pump 12-11
- Using SQL*Loader with PDBs 12-12
- Summary 12-13

13 Upgrade Methods

- Objectives 13-2
- Upgrading CDB and PDBs to 23ai: Methods 13-3
- Upgrading CDB and PDBs to 23ai 13-4
- Installing Oracle Database 23ai Software Using OUI 13-5
- AutoUpgrade Utility System Checks 13-6
- Running AutoUpgrade Fixups 13-7
- Configuration File to Run AutoUpgrade Prechecks 13-8
- Upgrading Using the AutoUpgrade Utility 13-9
- AutoUpgrade with Source and Target Database Homes on the Same Server 13-10

AutoUpgrade with Source and Target Database Homes on Different Servers	13-11
Overview of AutoUpgrade Job Stages	13-12
AutoUpgrade Command-Line Parameters and Options	13-14
AutoUpgrade Command-Line Syntax	13-17
AutoUpgrade Configuration File	13-18
Using Replay Upgrade's Automatic Upgrade on PDB Plug-In to a CDB23ai	13-19
How to Disable or Enable Replay Upgrade	13-20
Converting and Upgrading Regular PDBs to Application PDBs	13-21
Cross-Platform Transportable PDB	13-22
Cross-Platform PDB Transport: Phase 1	13-23
Cross-Platform PDB Transport: Phase 2	13-24
Summary	13-25

A Consolidated Database Replay Procedures

Consolidated Replay Steps	A-2
Procedures for Steps 4 and 5	A-3
Procedures for Steps 6 and 7	A-4
Procedure to Remap Connections with PDBs	A-5
Procedure to Prepare the Replay	A-6
Modes of Synchronization	A-7
Procedure to Start Replay	A-8
Views	A-9