



Oracle GoldenGate 23ai: Fundamentals for Oracle

Student Guide
D1109308GC10



Copyright © 2024, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1011272024

Contents

1 Introduction

- Objectives 1-2
- Overview 1-3
- Why do you need Oracle GoldenGate? 1-5
- Use Cases 1-6
- Traditional Use Cases for Oracle GoldenGate 1-7
- Incredible Flexibility 1-8
- Distributed AI Processing with Vector Replication 1-9
- Oracle Middleware for Business Intelligence 1-10
- New Features 1-11
- Over the many years, GoldenGate has changed a lot... 1-12
- GoldenGate 23.4 100's of new features, full platform 1-13
- Supported Databases and Platforms 1-15
- Supported Connectivity with GoldenGate platform 1-16
- What is Oracle GoldenGate? 1-17
- Oracle GoldenGate Product Family 1-18
- Oracle GoldenGate Product Line 1-19
- Summary 1-21

2 Architecture

- Objectives 2-2
- Terminology 2-3
- Architecture 2-7
- Benefits of Microservices 2-9
- Microservices Architecture: Overview 2-10
- Microservices Architecture 2-11
- Directories and Variables 2-12
- Microservices Architecture: Additional Components 2-13
- The REST API 2-14
- Security Strategies 2-15
- GoldenGate Authentication and Authorization 2-16
- Roles 2-18
- Password plugin for GoldenGate Connections 2-19
- Identity Provider Integration with IAM/OAM 2-20
- Secure Communication 2-21

- Trails, Checkpoints and Recovery 2-22
- Trail Files 2-23
- Checkpoints: Capture 2-24
- Recovery 2-25
- Summary 2-26

3 Install and Deploy

- Objectives 3-2
- Operating System Requirements 3-3
- Memory and Disk Requirements 3-4
- Disk 3-5
- Network 3-7
- Privileges 3-9
- Install 3-10
- Software Bundle 3-11
- Installation Option 3-12
- Installation Details 3-13
- Installation Summary 3-14
- Install Product & Finish 3-15
- Deploy 3-16
- oggca.sh 3-17
- Adding a Deployment 3-18
- Service Manager Administrator 3-21
- User Deployment 3-22
- User Deployment Administrator 3-24
- Summary 3-25
- Configure Deployment 3-26
- Connect 3-30
- Web Browser 3-31
- Viewing the Services 3-32
- adminclient 3-33
- adminclient: Syntax 3-34
- Connect Using the adminclient 3-35
- Verify Deployment via the adminclient 3-37
- Identity Provider Plugin (IdP) 3-38
- How IdP Works 3-40
- Authorization Profiles 3-41
- Creating Authorization Profiles 3-42

- Improved Token-Based Authentication 3-44
- Adds Username or Access Token to a Secure Store 3-45
- Connecting Using Token Base (IdP) 3-46
- Summary 3-47

4 Preparing the Environment

- Objectives 4-2
- High-Level Configuration Steps 4-3
- Architecture 4-4
- Prepare the Environment 4-5
- Configuring Oracle GoldenGate 4-6
- Setting the NLS_LANG 4-7
- Enabling Database Parameters 4-8
- Enabling Supplemental Logging 4-9
- New Role-Based Privilege Model in Database 23ai 4-11
- Creating Database Users and Assigning Privileges 4-12
- Creating a Wallet and Credential Store 4-13
- Handling TCP/IP Errors 4-14
- Replication Lag Analysis 4-15
- Creating Checkpoint Table 4-16
- Summary 4-17

5 Extracts

- Objectives 5-2
- Overview 5-3
- GoldenGate Architecture Options 5-4
- Extract Overview 5-8
- Oracle GoldenGate Process Groups 5-9
- Process Group Naming Conventions Examples 5-11
- Parameter Files 5-13
- Trails Overview 5-14
- Capture Process 5-15
- Extracts 5-16
- Configuring Oracle GoldenGate 5-17
- Administration Service: Managed Process Profile 5-18
- Creating an Extract 5-20
- Extract Information 5-21
- Extract Options 5-22
- Add Extract: Managed Options 5-23
- Extract Parameters 5-24
- Administration Service: Extract Run 5-25

- Administration Service: Extract Actions 5-26
- Administration Service: Extract Information 5-27
- Administration Service: Checkpoint 5-28
- Administration Service: Statistics 5-29
- Administration Service: Parameters 5-30
- Administration Service: Cache Manager Statistics 5-31
- Administration Service: Report 5-32
- Administration Service: Integrated Diagnostics 5-33
- Downstream Capture 5-34
- Downstream Capture: Mine the logs on a different database 5-35
- Commands 5-36
- The Add Extract Command 5-37
- Add Extract: adminclient Examples 5-38
- Add Trail File: adminclient Examples 5-39
- Editing Extract Parameters: adminclient Example 5-40
- Starting the Extract: adminclient Example 5-41
- Extract Configuration for Oracle 5-42
- DBA_GOLDENGATE_SUPPORT_MODE view 5-43
- DDL Replication 5-44
- Data Definition Language Replication 5-45
- Summary 5-46

6 Distribution Path, Target Initiated Path & Receiver Service

- Objectives 6-2
- Distribution Service Overview 6-3
- Distribution Path 6-4
- Distribution Service Overview 6-5
- Multiple Protocols 6-6
- Distribution Service 6-7
- Create a Distribution Path 6-8
- Distribution Service: Main Page 6-9
- Steps to Create a Distribution Path 6-10
- Creating the Target User 6-11
- Creating the Source Path Connection 6-12
- Path Information 6-13
- Source Options 6-14
- Target Options 6-15
- Advanced Options 6-18
- Filtering Options 6-20
- Managed Options 6-21
- Adding a Path Using the adminclient 6-22

Distribution Path Management	6-23
Manage the Distribution Path	6-24
Path Management Using the adminclient	6-25
Path Information	6-26
Path Statistics	6-27
Target Initiated Paths	6-28
Target Initiated Path Overview	6-29
Target Initiated Paths	6-30
adminclient: Target Initiated Paths	6-31
Receiver Service	6-33
Target Initiated Path Overview	6-34
Receiver Service Overview	6-35
Receiver Server Main Page	6-36
Distribution Path Information	6-37
Receiver Server Management Using the adminclient	6-38
Summary	6-39

7 Initial Load

Objectives	7-2
Overview	7-3
Architecture	7-4
Initial Load Methods	7-5
Advantages of Oracle GoldenGate Methods	7-6
Resource Limitations	7-7
Prerequisites for Initial Load	7-8
Best Practices for Preparing Tables for Initial Load	7-9
Initial Load Methods	7-10
Oracle Database Best Practice Methods	7-11
Initial Load Using RMAN: Destination Auxiliary Instance	7-12
Integration with Oracle Data Pump: Source Database	7-13
Integration with Oracle Data Pump: Target Database	7-14
Configure Initial Load Using Oracle GoldenGate	7-15
Methods	7-16
File to Replicat	7-17
Summary	7-18

8 Replicats

Objectives	8-2
Overview	8-3
Architecture	8-4
Replicat Overview	8-5
Additional Details About Replicat	8-6
Replicat Types	8-7
Classic Replicat	8-9
Coordinated Replicat	8-10
Parallel Replication	8-12
Parallel Replicat Control Parameters	8-14
Comparison of Replicats	8-15
Configure the Replicat	8-16
Create Replicat	8-17
Checkpoint Table	8-18
Change Delivery Tasks	8-19
Sample Replicat Configuration	8-20
Creating Checkpoint Table	8-21
Administration Service: Process Profile	8-22
Webpage Overview	8-24
Replicat Information	8-25
Replicat Options	8-26
Managed Options	8-27
Parameter File	8-28
Administration Service: Replicat Actions	8-29
Administration Service: Extract Information	8-30
Administration Server: Checkpoint	8-31
Collisions	8-32
Replicating Data Changes	8-33
Avoiding Collisions with Initial Load	8-34
Handling Collisions with Initial Load for Heterogenous Databases	8-36
Process Information	8-38
Obtaining Process Information: adminclient	8-39
Process Report Files	8-40
Administration Services: Replicat Statistics	8-41
Administration Service: Parameters	8-42
Administration Service: Report	8-43
Administration Service: Heartbeat	8-44
Administration Service: Integrated Diagnostics	8-45
Extract Process Report Example	8-46
Tracing the Replicat User	8-47

- Discard File 8-48
- Using the ggserr.log Error Log 8-49
- Using the System Logs 8-50
- Summary 8-52

9 Managing Extract Trails and Files

- Objectives 9-2
- Trail File and Metadata 9-3
- Trails and Files 9-4
- Trail Format 9-5
- Forward and Backward Compatibility Level 9-7
- Trails and Files: Cleanup 9-8
- Download Trail File from WebUI 9-9
- Trail File Header Area 9-10
- Trail File Record Data 9-11
- Logdump 9-12
- The logdump Utility 9-13
- Setting up LogDump Information 9-14
- Logdump File Header 9-15
- Viewing Canonical Trail Records 9-16
- Counting Records in the Trail 9-18
- Scan For MetaData (Database Definition Record) 9-20
- Scan For MetaData (Table Definition Record) 9-21
- Summary 9-22

10 Parameters

- Objectives 10-2
- Types of Parameter Files 10-3
- Types of Parameter Files 10-4
- Managed Process Settings Profile 10-6
- Extract Parameters 10-8
- Extract Parameter 10-9
- Common Extract Parameters 10-10
- Sample Extract Parameter File (TranLog) 10-11
- Sample Extract Parameter File (Initial Load) 10-12
- TRANLOGOPTIONS 10-13
- Extract Example: TranLogOptions Parameter 10-14
- Replicat Parameters 10-16
- Replicat Parameter 10-17
- Common Replicat Parameters 10-18
- Sample Replicat Parameter File 10-19

DBOPTIONS 10-20

Summary 10-22

11 Data Selection, Filtering and Transformations

Objectives 11-2

Data Mapping 11-3

Data Mapping and Manipulation: Overview 11-4

Column Mapping: Overview 11-6

Column Mapping: Example 11-7

Data Selection 11-10

Data Selection: Filter 11-11

Distribution Server Path: Filter Clause 11-13

Data Transformation 11-14

Converting, cleansing, and structuring data Converted to match destination system 11-15

Column Values Functions 11-16

Date Functions 11-17

Strings and Numbers Functions 11-19

Other GoldenGate Functions 11-20

Summary 11-21

12 Advance Configuration & Security Options

Objectives 12-2

Macros 12-3

Macros: Overview 12-4

Creating Macros 12-5

Invoking Macros 12-6

Tracing Macro Expansion 12-7

Creating Macro Libraries 12-8

User Tokens 12-9

User Tokens: Overview 12-10

Environmental Values Available to @GETENV 12-11

Obtaining Environmental Values 12-12

Using User Tokens 12-13

Viewing User Tokens in Logdump 12-14

SQLEXEC 12-15

SQLEXEC: Overview 12-16

SQLEXEC: Usage with a LOOKUP Stored Procedure 12-18

SQLEXEC: Usage with SQL Query 12-20

Event Markers 12-21

Event Marker System 12-22

- Event Actions Flowchart 12-24
- EventActions Order 12-25
- Implementing Event Actions: Replicat Example 12-26
- Event Actions: Automated Switchover Example 12-28
- Compression 12-29
- Security and Encryption 12-31
- Encrypting Trail Files 12-32
- Encryption Profiles 12-33
- Trail Encryption with Wallet 12-35
- Create an Encryption Profile 12-36
- Assign Encryption Profile – Extract/Replicat 12-37
- Assign Encryption Profile – Distribution Path 12-38
- Integration with Key Management Services 12-39
- Summary 12-40

13 Observability & Performance Monitoring

- Objectives 13-2
- Performance Metrics Overview 13-3
- Performance Metrics Service Overview 13-4
- Performance Metrics with GoldenGate 13-5
- Performance Metrics Service 13-6
- Components 13-8
- Metrics and Counters: Extract 13-9
- Extract Group: Process Performance Analysis 13-10
- Extract Group: Thread Performance Analysis 13-11
- Extract Group: Trail File Analysis 13-12
- Extract Group: Database Statistics 13-13
- Extract Group: Cache Statistics 13-15
- Replicat Group: Process Performance Analysis 13-16
- Replicat Group: Thread Performance Analysis 13-17
- Replicat Group: Trail File Analysis 13-18
- Replicat Group: Database Statistics 13-19
- Lag 13-21
- Lag Overview 13-22
- Heartbeat Mechanism 13-23
- Heartbeat Management Setup 13-25
- Heartbeat Table Objects 13-28
- Example: GG_LAG_HISTORY view 13-29
- MA Example: GG_LAG_HISTORY Query 13-30
- Heartbeat Lag Graph 13-31
- Extract Statistics 13-32

Path Statistics 13-33
Replicat Statistics 13-34
StatsD 13-35
StatsD Metrics by Telegraf 13-36
Summary 13-38

14 Migration

Objectives 14-2
GoldenGate Microservices 23ai 14-3
UPDATED: Support Timelines 14-4
Migration Utility 14-5
GoldenGate Migration 14-6
Conversion Best Practices 14-7
Requirements to run the utility 14-9
Running the utility 14-10
Post Execution 14-11
Call to Action / Next Steps 14-12
Summary 14-13