

Oracle Cloud Infrastructure Migration Architect Professional - 2025

Student Guide
D1110838GC10

Learn more from Oracle University at education.oracle.com



Copyright © 2025, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

03032025

Table of Contents

- Essentials of Cloud Migration** **15**
 - Migration Fundamentals** **15**
 - Business Drivers 16
 - Technical Drivers 17
 - Cloud Migrations Strategies 18
 - Migration Workflow** **19**
 - Define Business Case 20
 - Core of Migrations 21
 - Migration Phases 22
 - Migration Scenarios** **23**
 - Migration Scenarios 24
 - On-Premises Deployments** **28**
 - Overview 29
 - Application Summary 30
 - The Hypervisor Layer: VMware vSphere 31
 - Virtual Resources and attributes 32
 - VMware Virtual Switching 33
 - Network Virtualization 34
 - Types of Storage: External NAS/SAN 35
 - Types of Storage: Hyperconverged vSAN 36
 - Understanding Source Discovery** **37**
 - Discovery Methods 38
 - Assessments Types 39
 - Discovery Goals 40
 - Application Assessments** **41**

| | |
|--|-----------|
| Applications? | 42 |
| Application Discovery – Infrastructure Details | 43 |
| Application Discovery – Operational | 44 |
| Compute Assessments | 45 |
| Physical : Virtual | 46 |
| Factors to Assess | 47 |
| Assessment Goals | 48 |
| Storage and Data Assessment | 49 |
| Types of Storage: Recap | 50 |
| Assessment Factors | 51 |
| Network Assessment | 52 |
| Network Assessments | 53 |
| What to assess | 54 |
| Security & Compliance Assessments | 55 |
| Security Assessment Factors | 56 |
| Compliance Assessments | 57 |
| Other Assessments | 58 |
| OCI Networking and Migration | 59 |
| Virtual Cloud Network Basics | 59 |
| Virtual Cloud Network | 60 |
| Virtual Cloud Network | 61 |
| Allowed VCN Size and Address Ranges | 62 |
| VCN Routing and Networking | 63 |
| Route Table Basics | 64 |
| Route Table | 65 |
| Allowed Route Rule Target Type | 66 |
| VCN Security - Network Security Group | 67 |
| Network Security Group | 68 |

| | |
|--|-----------|
| NSG as the Source or Destination of a Rule | 69 |
| Stateful Security Rules | 70 |
| VCN Security - Security Lists | 72 |
| Security List | 73 |
| SL + NSG | 74 |
| Load Balancer | 76 |
| OCI Load Balancing Service | 77 |
| Load Balancer Concepts | 78 |
| OCI Load Balancer Shapes | 79 |
| Content-Based Routing: Host Based | 80 |
| Content-Based Routing: Path Based | 81 |
| VCN Connectivity Options | 82 |
| Local Peering Versus Remote Peering | 83 |
| Local Peering with DRG VCN Attachments | 84 |
| Connecting On-Premises to OCI | 85 |
| Considerations for☐Cloud Connectivity Options..... | 86 |
| Site-to-Site VPN | 87 |
| Site-to-Site VPN: Overview | 88 |
| Site-to-Site VPN: Use Cases | 89 |
| Customer-Premises Equipment | 90 |
| Site-to-Site VPN | 91 |
| Site-to-Site VPN: Tunnel Mode | 92 |
| Site-to-Site VPN: CPE Behind a NAT Device | 93 |
| FastConnect: Overview | 94 |
| FastConnect: With an Oracle Partner | 95 |
| Setup: FastConnect with an Oracle Partner | 96 |
| Networking Considerations | 97 |
| Networking Considerations for Migration | 98 |

| | |
|--|------------|
| Bring Your Own IP (BYOIP) | 99 |
| BYOIP | 100 |
| DNS | 101 |
| Migrate Workloads - On-premises to Native OCI | 103 |
| Introduction to Oracle Cloud Migrations | 103 |
| Introducing Oracle Cloud Migrations | 104 |
| What is Oracle Cloud Migrations? | 108 |
| Key Concepts | 109 |
| Terminologies | 110 |
| Assets | 111 |
| Oracle Cloud Migrations Phases | 112 |
| Discovery and Inventory | 113 |
| Oracle Cloud Bridge | 114 |
| Prerequisites for OCB | 115 |
| Source Environment: Remote Connection Agents | 116 |
| Source Environment: Agent Dependency | 117 |
| Discovery with Asset Source | 118 |
| Inventory | 119 |
| Discovery and Inventory: Summary | 120 |
| Migration Projects | 121 |
| What are Migration Projects | 122 |
| Migration Project: Migration Assets | 123 |
| Migration Project: Migration Plans | 124 |
| Planning and Assessment: Summary | 125 |
| Replicate and Launch | 126 |
| Replication | 127 |
| Launch | 128 |
| Replicate and Launch: Summary | 129 |

| | |
|---|------------|
| Migrations Flow & Architecture | 130 |
| Service Architecture & Components | 131 |
| Migration End-to-End Process | 132 |
| Migrate Workloads - AWS to Native OCI | 133 |
| AWS Migrations Introduction | 133 |
| Oracle Cloud Migrations | 134 |
| OCM migrations workflow | 135 |
| Migration Readiness | 136 |
| AWS Source Environment | 137 |
| AWS IAM Policies | 138 |
| Prerequisites in Oracle Cloud Migration | 139 |
| Manage Assets | 140 |
| Asset Source | 141 |
| Discovery & Inventory | 142 |
| Launch & Validation | 148 |
| Migration steps so far.. | 149 |
| Migration Final Steps | 150 |
| Planning & Migration | 143 |
| What are Migration Projects | 144 |
| Migration Project: Migration Assets | 145 |
| Migration Project: Migration Plans | 146 |
| Replication Flow | 147 |
| Migrate Workloads - On-premises to OCVS | 151 |
| Introduction to Oracle Cloud VMware Solution | 151 |
| The Partnership | 152 |
| Software-Defined Data Center (SDDC) | 153 |
| Oracle Cloud VMware Solution□Product Overview | 154 |

| | |
|---|------------|
| Use Cases & Key Benefits | 155 |
| Use Case #1 | 156 |
| Use Case #2 | 157 |
| Use Case #3 | 158 |
| Why Migrate to OCVS? | 159 |
| Key Benefits with OCVS | 160 |
| Core Aspects and Values | 161 |
| SDDC Products Overview - Part 1 | 162 |
| vSphere: The Hypervisor | 163 |
| vSAN: Software Defined Storage | 164 |
| NSX-T: Software-Defined Networking and Security | 165 |
| SDDC Products Overview – Part 2 | 166 |
| Storage Options | 167 |
| Dense Compute Shapes | 169 |
| Standard Compute Shapes | 170 |
| Multi-Clusters | 171 |
| Factors to Choose Compute Shapes | 172 |
| SDDC Deployment | 173 |
| Determine Target environment | 174 |
| SDDC VLANs | 175 |
| Deploying a Highly Available SDDC | 176 |
| Connecting Between On-Premises and OCVS | 177 |
| Deployment Architecture | 178 |
| Hybrid Cloud Extension (HCX) Overview | 179 |
| What is Hybrid Cloud Extension (HCX) | 180 |
| HCX Components | 181 |
| Mobility Optimized Networking (MON) | 182 |
| HCX License Editions and Features | 183 |

| | |
|--|------------|
| HCX Configuration | 184 |
| Implementing HCX | 185 |
| Network Profiles | 186 |
| Compute Profiles | 187 |
| HCX Configuration Steps | 188 |
| Migrations with HCX | 189 |
| Migration Benefits with HCX | 190 |
| Migration Types with HCX Advanced | 191 |
| Migration Types with HCX Enterprise (additional) | 192 |
| Migration Architecture – Summary | 193 |
| Migrate Containers to OCI Container Engine for Kubernetes (OKE) | 194 |
| Introduction to Containerization | 194 |
| What is Containerization? | 195 |
| How is it Different from Virtualization? | 196 |
| Benefits of Containerization | 197 |
| Introduction to OCIR | 198 |
| Introducing Oracle Cloud Infrastructure Registry (OCIR) | 199 |
| Container Registry Concepts | 200 |
| Terminology: Summary | 201 |
| Introduction to OKE | 203 |
| Container Engine for Kubernetes (OKE): Overview | 204 |
| Components of an OKE Cluster | 207 |
| Container Engine for Kubernetes: When and Why | 208 |
| Basic Clusters and Enhanced Clusters Overview | 209 |
| Types of OKE Clusters | 210 |
| Features Supported by Enhanced Clusters | 211 |
| Notable Features Not Supported | 212 |
| Creating Basic and Enhanced Clusters | 213 |

| | |
|---|------------|
| Serverless Kubernetes with virtual nodes | 214 |
| Managed Nodes | 218 |
| Virtual Nodes | 219 |
| Virtual Nodes Overview | 220 |
| Navigating the Migration to OKE Cluster - I | 221 |
| Evaluation | 226 |
| Planning | 227 |
| Implementation | 228 |
| Optimization | 229 |
| Navigating the Migration to OKE Cluster | 231 |
| Evaluating and identifying your workloads. | 232 |
| Navigating the Migration to OKE Cluster | 234 |
| Planning and establishing a foundation. | 235 |
| Navigating the Migration to OKE Cluster - II | 236 |
| Navigating the Migration to OKE Cluster | 237 |
| Implementing your workloads. | 238 |
| Navigating the Migration to OKE Cluster | 241 |
| Migrate Workloads between OCI Regions | 248 |
| Object Storage Replication | 248 |
| Object Storage Replication | 249 |
| Benefits | 251 |
| Replication Policy | 252 |
| Limitations | 253 |
| Block Volume: Cross-Region Replication | 254 |
| Cross Region Replication | 255 |
| Cross Region Replication | 256 |
| Use Cases | 258 |
| Enabling Volume Replication | 259 |

| | |
|--|------------|
| Block Volume: Cross Availability Domain Replication | 260 |
| Cross Availability Domain Replication | 261 |
| Cross Availability Domain Replication | 262 |
| Enabling Cross Availability Domain Replication | 263 |
| Block Volume Backups | 264 |
| Backup and Restoration | 265 |
| Block Volume Clones | 269 |
| Block Volume Clones | 270 |
| Block Volume Backup Versus Clone Operation | 272 |
| Backup Versus Clone | 273 |
| File System Cloning | 275 |
| File System Cloning | 276 |
| File System Cloning Concepts | 278 |
| Full Stack Disaster Recovery | 280 |
| Full Stack Disaster Recovery | 281 |
| FSDR: Supported OCI Resource Types | 282 |
| FSDR Concepts | 283 |
| Migrate Data On-Premises to OCI | 288 |
| Data Transfer Service | 288 |
| Offline and Online Migration | 289 |
| Transporting Data to OCI | 290 |
| Data Transfer Service | 291 |
| Types of Transfers | 292 |
| Petabyte Scale Offline Data Transport Service | 293 |
| Disk-Based Data Transfer | 294 |
| Disk-Based Data Transfer | 295 |
| Disk-Based Data Import Concepts | 296 |

| | |
|--|------------|
| Appliance-Based Data Transfer | 298 |
| Appliance-Based Data Transfer | 299 |
| Appliance-Based Data Export | 300 |
| Appliance-Based Data Import Concepts | 301 |
| How Data Transfer Works | 302 |
| Migrate Oracle Databases to OCI | 303 |
| Database Migration: Overview | 303 |
| Database Migration | 304 |
| Factors Influencing Database Migration | 306 |
| Factors Influencing Database Migration | 307 |
| Oracle DB Migration: Recommendations | 308 |
| Oracle DB Migration to Oracle Cloud Infrastructure | 309 |
| Database Targets in OCI | 310 |
| Database Services in OCI | 311 |
| Autonomous Database | 312 |
| Exadata Database | 313 |
| Base Database | 314 |
| Choosing Database Targets in OCI | 315 |
| Choosing a Database Deployment Option□Oracle Cloud Infrastructure (Public Cloud) or Customer Data Center | 316 |
| Choosing Autonomous DB Service as Target□Recommended DB Service in OCI | 317 |
| Choosing Co-Managed DB Service as Target | 318 |
| Migration Types and Methods | 319 |
| Migration Modes | 320 |
| Migration Types | 321 |
| Migration Methods for Oracle Database | 322 |
| Migration Process | 323 |
| Migrating Oracle Data Sources to OCI DB Services | 324 |
| Migration Process to OCI DB Services | 325 |

| | |
|---|------------|
| Migrating Non-Oracle Data Sources to OCI DB Services | 326 |
| Migration Process for Non-Oracle Databases | 327 |
| Migration Advisors | 328 |
| OCI Database Service Advisor | 329 |
| Oracle Migration Methods Advisor | 330 |
| Cloud Premigration Advisor Tool | 331 |
| Cloud Premigration Advisor Tool (CPAT) | 332 |
| Cloud Migration Advisor Tool | 333 |
| Cloud Migration Advisor Tool Workflow | 334 |
| Oracle Estate Explorer Tool | 335 |
| RMAN Migration Method | 337 |
| Recovery Manager (RMAN) | 338 |
| DB Migration to OCI Database Service | 339 |
| RMAN Migration Options | 340 |
| Data Pump Migration Method | 343 |
| Data Pump Migration Utility | 344 |
| Data Pump Transportable Tablespace | 345 |
| Data Pump – Full Transportable | 346 |
| Remote Cloning Migration Method | 347 |
| Oracle Database Remote Cloning Method | 348 |
| PDB on Non-CDB Remote Cloning | 349 |
| Unplug and Plug Migration Method | 350 |
| Migrating Oracle Databases Using Unplug and Plug Method | 351 |
| Migrate Source PDB to OCI Database Service | 352 |
| Migrate Non-CDB to OCI Database Service | 353 |
| UI Based Oracle DB Migration Tools | 354 |
| Enterprise Manager Migration Workbench | 355 |
| EM Migration Workbench Process Workflow | 357 |

| | |
|--|------------|
| Data Guard Migration Method | 359 |
| Oracle Data Guard(DG) | 360 |
| Migrating to OCI Database Service using DG | 361 |
| Migration Using Oracle Golden Gate | 362 |
| Oracle Golden Gate | 363 |
| Zero-Downtime Migration Method | 365 |
| Overview | 366 |
| Support Matrix | 367 |
| How it works ? | 368 |
| OCI Database Migration Service | 370 |
| Overview | 371 |
| Support Matrix | 372 |
| In a nutshell | 373 |