

Configuring Cisco MDS 9000 Series Switches (DCMDS) 2.0

Course Content

1: Cisco MDS 9000 Series Switch Platform

- 1.1: Introducing the Cisco MDS 9000 Series Switch Platform
- 1.2: Implementing Integrated Management

2: System Installation and Initial Configuration

- 2.1: Performing the Initial Switch Configuration
- 2.2: Installing and Licensing Cisco NX-OS Software

3: Building a SAN Fabric

- 3.1: Configuring Interfaces
- 3.2: Using FLOGI and FCNS Databases
- 3.3: Configuring VSANs
- 3.4: Managing Domains
- 3.5: Configuring NPV and NPIV
- 3.6: Configuring Port Channels
- 3.7: Configuring Distributed Device Aliases
- 3.8: Implementing Zoning

4: Intelligent SAN Fabric Services

- 4.1: Implementing Cisco MDS Data MobilityManager
- 4.2: Implementing Cisco SAN

5: Fibre Channel over Ethernet Implementation

5.1: Fibre Channel over Ethernet

5.2: Configuring Multihop FCoE on the MDS 9500

6: Implementing Security

6.1: Improving Management Security

6.2: Configuring AAA Services

6.3: Implementing Port and Fabric Security

6.4: Configuring FC-SP

6.5: Implementing Link Encryption

6.6: Implementing Cisco Storage Media Encryption

7: Implementing FCIP

7.1: Creating an FCIP Tunnel

7.2: Configuring FCIP High Availability

7.3: Implementing IVR for SAN Extension

7.4: Tuning FCIP Performance

COURSE LABS

Lab 2-1: Initial Setup

Lab 2-2: Upgrading Switch Software

Lab 3-1: Configuring Interfaces

Lab 3-2: Creating VSANs

Lab 3-3: Configuring NPV and NPIV

Lab 3-4: Configuring PortChannels

Lab 3-5: Distributing DDAS with CFS

Lab 3-6: Configuring Zones

Lab 4-1: Configuring Cisco DMM

Lab 4-2: Using SPAN and the Cisco PAA-2

Lab 6-1: Configuring AAA Services

Lab 6-2: Implementing Port and Fabric Security

Lab 6-3: Configuring Cisco Storage Media Encryption

Lab 7-1: Implementing an FCIP Tunnel

Lab 7-2: Configuring FCIP High Availability

Lab 7-3: Implementing IVR for SAN Extension

Lab 7-4: Tuning FCIP Performance
